Kutcher Generalized Social Anxiety Disorder Scale for Adolescents (K-GSADS-A)

Section A: Fear and Avoidance

Scoring: 0 = Never; 1 = Mild; 2 = Moderate; 3 = Severe/Total Avoidance

| | Item | Discomfort, Anxiety, Distress (0-3) | Avoidance (0-3) |
|----|--|--|--------------------|
| 1 | Initiating conversation with a member of the opposite sex | | |
| 2 | Attending a party or other social gathering with people you don't know very well | | |
| 3 | Speaking up, answering questions in class/participating in class discussions | | |
| 4 | Presenting in front of a small group or in a classroom setting | | |
| 5 | Attending overnight group activities such as camps, school trips, etc. | | |
| 6 | Speaking to a store clerk, bank teller, etc. | | |
| 7 | Asking a stranger for directions | | |
| 8 | Changing in a common locker room | | |
| 9 | Showering in a common shower room | | |
| 10 | Using a public toilet facility or urinating in public (score whatever is greater) | | |
| 11 | Telephoning to ask for information or to speak to someone you don't know very well (score whatever is greater) | | |
| 12 | Entering a classroom or social group once the class or activity is already underway | | |
| 13 | Initiating conversation with strangers | | |
| 14 | Speaking with authority figures: i.e. teachers, counselor, principal, police officers, clergy, physician, etc. | | |
| 15 | Eating in public | | |
| 16 | Going to a party alone | | |
| 17 | Asking someone for a date | | |
| 18 | Writing your name in public | | |

Section B: Fear/Avoidance - Seminal Items

What are your three most feared social situations and how strong is the fear/avoidance of each Scoring: 0 = Never; 1 = Mild; 2 = Moderate; 3 = Severe/Total Avoidance

| | Fear | Avoidance (0-3) |
|---|------|-----------------|
| 1 | | |
| 2 | | |
| 3 | | |

Section C: Distress Quotient

In general, how strongly do these items occur to you in <u>most</u> social situations? Scoring: 0 = Never; 1 = Mild; 2 = Moderate; 3 = Severe/Total Avoidance

| | Item | Score (0 - 3) |
|----|--|---------------|
| 1 | Feeling embarrassed or humiliated | |
| 2 | Feeling 'centered out', scrutinized by others | |
| 3 | Feeling judged or critically evaluated by others | |
| 4 | Wanting to leave the social situation | |
| 5 | Anxious anticipation of social situation | |
| 6 | Experiences a panic attack | |
| 7 | Blushes | |
| 8 | Sweats or hot/cold flashes | |
| 9 | Urination urges | |
| 10 | Gastrointestinal distress | |
| 11 | Trembling or shaking | |

Subscale scores and Total Score:

| SS1: Fear and Anxiety Score (Items A 1-18, anxiety column) | |
|--|--|
| SS2: Avoidance Score (Items A 1-18, avoidance column) | |
| SS3: Affective Distress Score (Items C 1-5) | |
| SS4: Somatic Distress Score (Items C 6-11) | |
| Total K-GSADS-A Score (SS1 + SS2 + SS3 + SS4) | |

Interpretation of scores: There are no validated diagnostic categories associated with particular ranges of scores. All scores should be assessed relative to an individual patient's baseline score (higher scores indicating worsening social phobia, lower scores suggesting possible improvement).